


¾" DIA. ASTM A193 B7 STEEL THREADED ROD WITH ½"X2"X2" STEEL PLATE WASHERS, EMBEDDED 5" INTO EXISTING CONCRETE WALL WITH HILTY HY-200 EPOXY, TYP. OF (2) SPACED 3"EA. SIDE OF BEAM C/L AT EACH END CONNECTION LOCATION; COMPLETELY FILL THE OPEN ANNULAR AREA OF BOLT HOLE IN THE MC CHANNEL WITH EPOXY TO ENSURE THAT BOTH BOLTS ACT IN BEARING.

NOTES:
1. REF. RFI #2.

1 SECTION
1" = 1'-0"

banwell ARCHITECTS
THE CARRIAGE HOUSE
6 SOUTH PARK STREET
LEBANON, NH 03766
T: 603 448 3778

ENGINEERING VENTURES PC
208 Flynn Avenue, Suite 2A, Burlington, VT 05401 | (802) 863-6225
85 Mechanic Street, Suite E2-3, Lebanon, NH 03766 | (603) 442-9333
414 Union Street, Schenectady, NY 12305 | (518) 205-9141
www.engineeringventures.com

PROJECT:
CORNISH LIBRARY & COMMUNITY CENTER
226 NH-120
CORNISH FLAT, NH 03746

SKS-003
DATE: 10/21/25
EV PROJECT #: 23264